


pine tea from boiling pine needles!

best harvested in early summer.



Small mammals

Small mammals such as squirrels, martens and weasels were hunted and trapped for their fur. The pelts are thin but the fur is attractive and warm, and is a good liner for winter clothes.

Autumn is a good time to hunt them as the leaves are falling from the trees.

Woodland edge

The montane woodland edge is a good place to hunt deer when they graze in the open, above the treeline in the spring, summer and autumn. Hunting camps look down onto the woodland edge from places with good views all around.

Hazel stands

Well-managed hazel stands can give good straight but bendy branches for making shelters, coracles and baskets. Hazel is also good for arrow shafts. The winter is a good time to cut them, when they are free of leaves and before the tree starts to grow again in the spring.

Broadleaf Woodland

Bright orange cloudberries are relatively rare

today, but would have been a staple food in

the forest and stored for the winter.

the Mesolithic, gathered in huge quantities in

summer from bushes in the high moorland above

Cloudberries

Highland Pinewood



Woodland glade

A woodland glade is a good place to hunt aurochs and deer all year round when they graze in the open, and the long grass can be harvested in autumn for making coiled baskets or for lining shoes and beds. Smaller tree species bearing berries or nuts often grow at the woodland edge. Knowing where your woodland glades were would be really important!

